





Biochar in the Vineyard

Eric Mayer, Ph.D

Biochar in the Vineyard

- Market
- Methods
- Results
- Costs
- Scale
- Barriers and Opportunities







• Periodic vineyard replacement







• Periodic vineyard replacement

Napachar

• 100k acres under vine in Napa and Sonoma







• Periodic vineyard replacement

- 100k acres under vine in Napa and Sonoma
- Estimated 3,000 acres pulled vines per year







• Periodic vineyard replacement

- 100k acres under vine in Napa and Sonoma
- Estimated 3,000 acres pulled vines per year
- Most vineyards smaller than 12 acres, many smaller than 4 acres







- Periodic vineyard replacement
- 100k acres under vine in Napa and Sonoma
- Estimated 3,000 acres pulled vines per year
- Most vineyards smaller than 12 acres, many smaller than 4 acres
- Business as usual to burn pulled vines to ash







- Periodic vineyard replacement
- 100k acres under vine in Napa and Sonoma
- Estimated 3,000 acres pulled vines per year
- Most vineyards smaller than 12 acres, many smaller than 4 acres
- Business as usual to burn pulled vines to ash
- More regeneratively-minded farms quench for biochar or chip for mulch







Biochar in the Vineyard – Methods

• On-site production with flame-cap kilns







Biochar in the Vineyard – Methods

- On-site production with flame-cap kilns
- Farmers pile vines to cure







Biochar in the Vineyard – Methods

- On-site production with flame-cap kilns
- Farmers pile vines to cure
- Feed vines into kiln by hand or with mini-excavator







Biochar in the Vineyard - Methods

- On-site production with flame-cap kilns
- Farmers pile vines to cure
- Feed vines into kiln by hand or with mini-excavator
- Leave Biochar in quench patches for farmers to integrate into soil







Biochar in the Vineyard - Methods

- On-site production with flame-cap kilns
- Farmers pile vines to cure
- Feed vines into kiln by hand or with mini-excavator
- Leave Biochar in quench patches for farmers to integrate into soil
- Up to 7 dry tons/day of biochar
 - 0
 - > 30 cu-yds > 6 acres of vines 0







In our first full year:

• Processed 45 acres of pulled vines







In our first full year:

- Processed 45 acres of pulled vines
- Produced 60 dry tons of biochar (280 cubic yards)







In our first full year:

- Processed 45 acres of pulled vines
- Produced 60 dry tons of biochar (280 cubic yards)
- 1.3 dry tons per acre







In our first full year:

- Processed 45 acres of pulled vines
- Produced 60 dry tons of biochar (280 cubic yards)
- 1.3 dry tons per acre

Napachar

• > 25% conversion biomass to biochar







In our first full year:

- Processed 45 acres of pulled vines
- Produced 60 dry tons of biochar (280 cubic yards)
- 1.3 dry tons per acre
- > 25% conversion biomass to biochar
- High-quality biochar (> 65% Carbon, and H/Corg < 0.3).







• Fundamentally the same as wood chipping









- Fundamentally the same as wood chipping
- Move wood from a pile into a machine







- Fundamentally the same as wood chipping
- Move wood from a pile into a machine

Napachar

• Anywhere from \$750 to \$2500 per day







- Fundamentally the same as wood chipping
- Move wood from a pile into a machine
- Anywhere from \$750 to \$2500 per day
- \$100 to \$400 per cu-yd of biochar produced







- Fundamentally the same as wood chipping
- Move wood from a pile into a machine
- Anywhere from \$750 to \$2500 per day
- \$100 to \$400 per cu-yd of biochar produced
- \$100 to \$1000 per ton of CO2e sequestered







• One kiln crew can conservatively produce 300 tons of biochar per CA burn season







- One kiln crew can conservatively produce 300 tons of biochar per CA burn season
- > 1,000 tons of CO2e removed from the atmosphere every year







- One kiln crew can conservatively produce 300 tons of biochar per CA burn season
- > 1,000 tons of CO2e removed from the atmosphere every year
- In Napa and Sonoma, enough pulled vines to fully employ more than 10 kiln crews







- One kiln crew can conservatively produce 300 tons of biochar per CA burn season
- > 1,000 tons of CO2e removed from the atmosphere every year
- In Napa and Sonoma, enough pulled vines to fully employ more than 10 kiln crews
- > 10,000 tons of CO2e per year







- One kiln crew can conservatively produce 300 tons of biochar per CA burn season
- > 1,000 tons of CO2e removed from the atmosphere every year
- In Napa and Sonoma, enough pulled vines to fully employ more than 10 kiln crews
- > 10,000 tons of CO2e per year

Napachar

• Replication across all the orchards and vineyards in California, > 1 million tons of CO2e per year







Biochar in the Vineyard – Barriers and Opportunities

Barriers:

Napachar

• Farmer knowledge of biochar







Biochar in the Vineyard – Barriers and Opportunities

Barriers:

- Farmer knowledge of biochar
- Emissions data







Biochar in the Vineyard -**Barriers and Opportunities**

Barriers:

- Farmer knowledge of biochar
- **Emissions data**

Napachar

Water availability (100 gal per cu-yd of biochar)









Biochar in the Vineyard – Barriers and Opportunities

Barriers:

- Farmer knowledge of biochar
- Emissions data
- Water availability (100 gal per cu-yd of biochar)

Opportunities:

• Biochar in the woods





Biochar in the Vineyard – Barriers and Opportunities

Barriers:

- Farmer knowledge of biochar
- Emissions data
- Water availability (100 gal per cu-yd of biochar)

Opportunities:

- Biochar in the woods
- Carbon funding







Thank you!

The giants on whose shoulders we stand:

USBI

Kelpie Wilson and the Biochar in the Woods group

Sonoma Biochar Initiative

Napa Green

Oasis Vineyard Trial

Darren McAvoy

Our clients who provide the demand:

Silver Oak Cellars

Jackson Family Wines

Tres Sabores

Markham Vineyards

MacRostie Winery

Gloria Ferrer Caves and Vineyards







USBI • BIOCHARCONFERENCE.COM • FEB. 12-15, 2024